

Material Safety Data Sheet

According to 91/155 EEC

Printing date 18.01.2006

Reviewed on 18. 01. 2006


1 Identification of substance:

- **Product details:**
- **Trade name:** Spezialstempelfarbe 191, schwarz
- **Article number:** 191
- **Application of the substance / the preparation** stamp ink
- **Informing department:**
Environment Protection Department
Noris-Color GmbH Ziegelhüttener Straße 1 95326 Kulmbach/Germany
Tel. +49 (0) 9221 92000 Fax. +49 (0) 9221 920090
Mr. Lothar Zeitler
- **Emergency information:** s.o.

2 Composition/Data on components:

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 34590-94-8 EINECS: 252-104-2	(2-methoxymethylethoxy)propanol		50-100%
CAS: 107-98-2 EINECS: 203-539-1	1-methoxypropan-2-ol	R 10	10-25%
CAS: 71-36-3 EINECS: 200-751-6	butan-1-ol	 Xn; R 10-22-37/38-41-67	2.5-10%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- **Hazard designation:**



Xi Irritant

- **Information pertaining to particular dangers for man and environment**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 10 Flammable.
R 36 Irritating to eyes.
- **Classification system**
The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

4 First aid measures

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** The product is not skin irritating.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** In case of persistent symptoms consult doctor.

Material Safety Data Sheet

According to 91/155 EEC

Printing date 18.01.2006

Reviewed on 18. 01. 2006

Trade name: Spezialstempelfarbe 191, schwarz

(Contd. of page 1)

5 Fire fighting measures

- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**
Do not allow product to reach sewage system or water bodies.
Inform respective authorities in case product reaches water or sewage system.
Do not allow to enter drainage system, surface or ground water.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- **Handling**
- **Information for safe handling:** Open and handle container with care.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

34590-94-8 (2-methoxymethylethoxy)propanol	
WEL	Long-term value: 308 mg/m ³ , 50 ppm
107-98-2 1-methoxypropan-2-ol	
WEL	Short-term value: 560 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm
71-36-3 butan-1-ol	
WEL	Short-term value: 154 mg/m ³ , 50 ppm

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.

(Contd. on page 3)

Material Safety Data Sheet

According to 91/155 EEC

Printing date 18.01.2006

Reviewed on 18. 01. 2006

Trade name: Spezialstempelfarbe 191, schwarz

(Contd. of page 2)

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed safety glasses.

9 Physical and chemical properties:

· **General Information**

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic

· **Change in condition**

Melting point/Melting range: Not determined

Boiling point/Boiling range: 116°C

· **Flash point:** 35°C

· **Ignition temperature:** 270.0°C

· **Self-inflammability:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/steam mixtures is possible.

· **Critical values for explosion:**

Lower: 1.1 Vol %

Upper: 14.0 Vol %

· **Vapour pressure at 20°C:** 12.0 hPa

· **Density** Not determined

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix

· **Solvent content:**

Organic solvents: 75.0 %

Water: 0.0 %

· **Solids content:** 24.0 %

GB

(Contd. on page 4)

